LGL-1-9
347
158
Spruce Budworm
RESEARCH

REFERENCES ON SPRUCE BUDWORM,

(Choristoneura fumiferana (Clem.)

Copied from

A Problem Analysis for the
Spruce Budworm

by

M. E. McKnight, Entomologist
Rocky Mountain Forest and Range
Experiment Station

LITERATURE CITED

Anonymous.

1930. Current news notes. Jour. Econ. Ent. (23(3):652.

Andrewartha, H. G., and Birch, L. C.

1954. The distribution and abundance of animals. Univ. of Chicago Press. Chicago, Illinois. 782 pp., illus. Bibliography.

Atwood, C. E.

1944. The feeding habits of the young spruce budworm larvae. Can. Ent. 76(3): 64-66.

_____.

1945. Spruce budworm - investigations on the susceptibility and vulnerability of forests. Can. Dept. Agr., Div. Ent., For. Insect Invest. Bi-mon. Prog. Rept. 1(2): 2.

Arthur, A. P., and Coppel, H. C.

1953. Studies on dipterous parasites of the spruce budworm, Choristoneura fumiferana (Clem.) (Lepidoptera: Tortricidae). I. Sarcophaga aldrichi Park. (Diptera:Sarcophagidae). Can. Jour. Zool. 31:374-391.

Bailey, I. W.

1925. The "spruce budworm" biocoenose. I. Frost rings as indicators of the chronology of specific biological events. Botan. Gaz. 80: 93-101.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (8/59)

Balch, R. E.

1945. Spruce budworm. Div. Ent., Can. Dept. Agr. For. Insect Invest. Bi-mon. Prog. Rept. 1(5): 1-2.

———.

1946. The spruce budworm and forest management in the Maritime Provinces. Can. Dept. Agr. Ent. Div. Proc. Publ. 60.

———.

1952. The spruce budworm and aerial forest spraying. Can. Geographical Jour. 45(5): 201-210.

———.

1960. The approach to biological control in forest entomology. Can. Ent. 92(4): 297-310.

Basham, J. T., and Belyea, R. M.

1960. Death and deterioration of balsam fir weakened by spruce budworm defoliation in Ontario. III. The deterioration of dead trees. For. Sci. 6(1): 78-96.

Batzer, Harold O.

1960. Mined buds, a hibernation site for spruce budworm. Jour. Econ. Ent. 53(4): 684-685.

———.

1962. Buoyancy in air of second-instar spruce budworm larvae as related to length of silk thread. Proc. Nor. Cent. Br. Ent. Soc. Amer. 17: 141.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (8/59)

Beal, J. A., and Lewis, F. R.

1938. Ponderosa pine a new host of the spruce budworm in the Rocky Mountain Region. U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta., Unpubl. Rept. 10 pp. [Typed.]

Bean, James L.

1957. The use of larvaevorid maggot drop as a means of measuring spruce budworm populations. Ent. Soc. Amer. Bul. 3(3): ~~30~~ 30. (Abs.).

_____.

1958a. Frass size as an indicator of spruce budworm larval instars. Ent. Soc. Amer. Bul. 4(3): 90. (Abs.).

_____.

1958b. The use of larvaevorid maggot drop in measuring trends in spruce budworm populations. Ann. Ent. Soc. Amer. 51(4): 400-403.

_____.

1959. Frass size as an indicator of spruce budworm larval instars. Ann. Ent. Soc. Amer. 52(5): 605-608.

_____.

1961a. A method for estimating the number of spruce budworm eggs per mass. Jour. Econ. Ent. 54(5): 1064.

_____.

1961b. Predicting emergence of second-instar spruce budworm larvae from hibernation under field conditions in Minnesota. Ann. Ent. Soc. Amer. 54(2): 175-177.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (8/59)

Bean, James L.

1961c. The use of balsam fir shoot elongation for timing spruce budworm aerial spray programs in the Lake States. Jour. Econ. Ent. 54(5): 996-1000.

_____.

1962. Distribution of parasites of the spruce budworm on balsam fir. Proc. North Cent. Br. Ent. Soc. Amer. 17: 140.

_____, and Batzer, H. O.

1956. A spruce budworm risk-rating for the spruce-fir types in the Lake States. U.S. Forest Service, Lake States Forest Expt. Sta. Tech. Note 453, 1 p.

_____, and Batzer, H. O.

1957. Mean head width for spruce budworm larval instars in Minnesota and associated data. Jour. Econ. Ent. 50(4): 499.

Bedard, W. D.

1938. An annotated list of the insect fauna of Douglas-fir (Pseudotsuga mucronata Rafinesque) in the northern Rocky Mountain region. Can. Ent. 70(9): 188-197.

Belyea, R. M.

1952a. Death and deterioration of balsam fir weakened by spruce budworm defoliation in Ontario. I. Notes on the seasonal history and habits of insects breeding in severely weakened and dead trees. Can. Ent. 84: 325-335.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (8/59)

Belyea, R. M.

1952b. Death and deterioration of balsam fir weakened by spruce budworm defoliation in Ontario. II. An assessment of the role of associated insect species in the death of severely weakened trees. Jour. For. 50: 729-738.

Bergold, G. H.

1950. The multiplication of insect viruses as organisms. Can. Jour. Res. Sect. E. 28: 6-11.

_____.

1951. The polyhedral disease of the spruce budworm, Choristoneura fumiferana (Clem.) (Lepidoptera:Tortricidae). Can. Jour. Zool. 29(1): 17-23.

Bess, H. A.

1945. A measure of the influence of natural mortality factors on insect survival. Ann. Ent. Soc. Amer. 38: 472-481.

_____.

1946. Staminate flowers and spruce budworm abundance. Dom. Dept. Agr., For. Insect Invest. Bi-mon. Prog. Rept. 2(2): 3-4.

Bird, F. T.

1958. Histopathology of granulosis viruses in insects. Can. Jour. Microbiol. 4: 267-272.

_____.

1959. Polyhedrosis and granulosis viruses causing single and double infections in the spruce budworm, Choristoneura fumiferana Clemens. Jour. Insect Path. 1: 406-430.

_____, and Stairs, G. R.

1962. Virology. In Ann. Rept. Can. Dept. For., For. Ent. and Path. Branch f. year ended March 31, 1962, p. 8.

_____, and Whalen, M. M.

1949. A special survey of the natural control of the spruce budworm, Choristoneura fumiferana (Clem.) in northern Ontario in 1949. Ann. Rept. 2, For. Ins. Lab., Sault Ste. Marie, Ont.

_____, and Whalen, M. M.

1954. A nuclear and a cytoplasmic polyhedral virus disease of the spruce budworm. Can. Jour. Zool. 32: 82-86.

Blais, J. R.

1952. The relation of the spruce budworm to the flowering condition of balsam fir. Can. Jour. Zool. 30: 1-29.

_____.

1953. Effects of the destruction of the current year's foliage of balsam fir on the fecundity and habits of flight of the spruce budworm. Can. Ent. 85(12): 446-448.

_____.

1956. Spruce budworm development in the Gaspé Peninsula in 1956. Can. Dept. Agr. Sci. Serv., For. Biol. Div. Bi-mon. Prog. Rept. 13(1): 1-2.

_____.

1957. Some relationships of the spruce budworm to black spruce. For. Chron. 33(4): 364-372.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (8/59)

Blais, J. R.

1958a. Effects of defoliation by spruce budworm on radial growth at breast height of balsam fir and white spruce. For. Chron. 34(1): 39-47.

_____.

1958b. Effects of 1956 spring and summer temperatures on spruce budworm populations (Choristoneura fumiferana Clem.) Can. Ent. 90: 354-361.

_____.

1960. Spruce budworm parasite investigations in the Lower St. Lawrence and Gaspe regions of Quebec. Can. Ent. 92: 384-396.

_____.

1961a. Aerial application of insecticides and the suppression of incipient spruce budworm outbreaks. For. Chron. 37(3): 203-210.

~~_____~~.

~~1961b. Spruce budworm outbreaks in the lower St. Lawrence and Gaspe regions. For. Chron. 37(3): 192-202.~~

_____, and Martineau, R.

1960. A recent spruce budworm outbreak in the lower St. Lawrence and Gaspe Peninsula with reference to aerial spraying operations. For. Chron. 36(3): 209-224.

Brown, A.W.A., Hopewell, W. W., Wenner, B. J., and McDonald, H.

1947. Laboratory assessment of organic insecticides for control of certain Lepidopterous larvae. Can. Ent. 79(9, 10): 161-166.

Brown, A.W.A., and MacKay, Margaret R.

1943. The jackpine budworm and the spruce budworm, Cacoecia fumiferana Clem. (Tortricidae). Can. Ent. 75(11): 207-211.

Brown, N. R.

1946a. Studies on parasites of the spruce budworm, Archips fumiferana (Clem.). I. Life history of Apanteles fumiferanae Viereck (Hymenoptera:Braconidae). Can. Ent. 78: 121-129.

———.

1946b. Studies on parasites of the spruce budworm, Archips fumiferana (Clem.). II. Life history of Glypta fumiferanae (Viereck) (Hymenoptera:Ichneumonidae). Can. Ent. 78(7,8): 138-147.

Buchanan, W. D.

1947. Spruce budworm report - 1946. U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta., Unpubl. Rept. 6 pp. /Typed./

———.

1948. Spruce budworm progress report - 1947. U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta. Unpubl. Rept., 20 pp. /Typed./

———.

1949. Spruce budworm progress report - 1948. U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta. Unpubl. Rept., 10 pp. /Typed/

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1400-13 (8/57)

Campbell, D. K.

1953. Ecological factors influencing diapause in the spruce budworm, Choristoneura fumiferana (Clem.). (Tortricidae). MA Thesis, University of British Columbia, 75 pp. plus Appendices.

Campbell, I. M.

1953. Morphological differences between the pupae and the egg clusters of Choristoneura fumiferana (Clem.) and C. pinus Free. (Lepidoptera:Tortricidae). Can. Ent. 85(4) 134-135.

_____.

1958. A genetic study of factors determining fecundity in the genus Choristoneura Led. (Lepidoptera: Tortricidae). Ph. D. Thesis, University of Toronto, 69 pp. plus Appendices.

_____.

1961. Polygyny in Choristoneura Led. (Lepidoptera:Tortricidae). Can. Ent. 93(12): 1160-1162.

_____.

1962a. Reproductive capacity in the genus Choristoneura Led. (Depidoptera:Tortricidae). I. Quantitative inheritance and genes as controllers of rates. Can. Jour. of Genetics and Cytology 4(3): 272-288.

_____.

1962b. The inheritance of fecundity in the genus Choristoneura. In Ann. Rept. Can. Dept. Can. Dept. Forestry, For. Ent. and Path. Branch year ended Mar. 31, 1962, p. 15.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
[illegible]

Carolin, V. M.

1950. Studies of the biological control of the spruce budworm in Oregon, 1950. U.S. Bur. Ent. and Plant Quar., Spec. Rept., New Haven, Conn. [Unpublished.]

_____, and Coulter, W. K.

1959a. The occurrence of insect parasites of Choristoneura fumiferana (Clem.) in Oregon. Jour. Econ. Ent. 52(4): 550-555.

_____, and Coulter, W. K.

1959b. Research findings relative to the biological evaluation of spruce budworm infestations in Oregon. Jour. Econ. Ent. 52(4): 550-555.

Chansler, J. F.

1960. Spruce budworm larval populations. Carson and Santa Fe National Forests and adjacent private land, northern New Mexico. U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta. Unpub. Rept., 4 pp. [Mimeo.]

Cole, Walter E.

1958. Spruce budworm population-damage study, Prog. Rept. 1958. U.S. Forest Service, Intermountain Forest and Range Expt. Sta., 13 pp. [Processed.]

_____.

1959. Spruce budworm population-damage study, Prog. Rept. 1959. U.S. Forest Service, Intermountain Forest and Range Expt. Sta., 18 pp. [Processed.]

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (8/59)

Cole, Walter E.

1960a. Sequential sampling in spruce budworm control projects. For. Sci. 6(1): 51-59.

_____.

1960b. Spruce budworm population-damage study, Prog. Rept. 1960. U.S. Forest Service, Intermountain Forest and Range Expt. Sta., 23 pp. [Processed.]

Cook, J. A.

1949. Spruce budworm. Can. Dept. Agr., Div. For. Biol. Bi-mon. Prog. Rept. 5(4):3.

_____.

1953. Life history and population studies of the two-year spruce budworm in Banff, Kootenay, and Yoho National Parks of the Rocky Mountains and reference to the forest composition. Master's Thesis, Univ. New Brunswick, 78 pp.

Coppel, H. C.

1946. The collection of spru ce budworm parasites in British Columbia with notes onttheir overwintering habits. 77th Ann. Rept., Ent. Soc. Ont., pp. 38-40.

_____.

1953. Effects of super-, multi-, and hyper-parasitism on the abundance of Phytodietus fumiferanae Rohw. (Hymenoptera: Ichneumonidae), a primary parasite of the spruce budworm, Choristoneura fumiferana (Clem.) (Lepidoptera:Tortricidae). Rept. Quebec Soc. Prot. Pl. 32-33 (1950-51): 189-193.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1(0-13 (8/57)

Doppel, H. C.

1958. Studies on dipterous parasites of the spruce budworm, Choristoneura fumiferana (Clem.) (Lepidoptera:Tortricidae). VI. Phorocera incrassata Smith (Diptera:Tachinidae). Can. Jour. Zool. 36: 453-462.

_____.

1960. Key to adults of dipterous parasites of spruce budworm. Ann. Ent. Soc. Amer. 53(1): 94-97.

_____, House, H. L., and Maw, M. G.

1959. Studies on dipterous parasites of the spruce budworm, Choristoneura fumiferana (Clem.) (Lepidoptera:Tortricidae). VII. Agria affinis (Fall.) (Diptera:Sarcophagidae). ~~Can.~~ Can. Jour. Zool. 37(6): 817-830.

_____, and Maw, M. G.

1954a. Studies on dipterous parasites of the spruce budworm, Choristoneura fumiferana (Clem.) (Lepidoptera:Tortricidae). III. Ceromasia auricaudata Tns. (Diptera:Tachinidae). Can. Jour. Zool. 32: 144-156.

_____, and Maw, M. G.

1954b. Studies on dipterous parasites of the spruce budworm, Choristoneura fumiferana (Clem.) (Lepidoptera:Tortricidae). IV. Madremyia saundersii (Will.) (Diptera:Tachinidae). Can. Jour. Zool. 32:314-323.

SPA

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (8/59)

Coppel, H. C., and Smith, B. C.

1957. Studies on dipterous parasites of the spruce budworm, Choristoneura fumiferana (Clem.) (Lepidoptera:Tortricidae). V. Omotoma fumiferanae (Tot.) (Diptera:Tachinidae). Can. Jour. Zool. 35:581-592.

Coulter, W. K.

1954. Effects of aerial spraying upon parasites of the spruce budworm. (Talk given at Second Annual Meeting, Pacific Branch, Entom. Soc. Amer., Bend, Oregon, June 22-24, 1954.) 2 pp.

Cox, Constance E.

1953. Analysis of frequency distributions of adults and larvae of Choristoneura fumiferana (Clem.) and C. pinus Free. (Lepidoptera:Tortricidae). Can. Ent. 85(4): 136-140.

Craighead, F. C.

1923. A brief summary of the budworm investigations in Canada. Jour. For. 21:134-138.

_____.

1925. Relation between mortality of trees attacked by the spruce budworm (Cacoecia fumiferana Clem.) and previous growth. Jour. Agr. Res. 30:541-555.

Dalleske, R. L.

1961. Spruce budworm research in Colorado. U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta. Progress Report, 16 pp. [Typed.]

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (6/59)

Dalleske, R. L.

1962a. Spruce budworm biology study. I. Rearing Techniques. U.S. Forest Service, Rocky Mountain Forest and Range Experiment Station. Progress Report. 15 pp. and Appendix.

_____.

1962b. Spruce budworm biology study. Progress Report. II. An investigation into the pupal size-fecundity relationship in spruce budworm. U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta., 12 pp. and Appendix.

_____.

1962c. Spruce budworm insect parasite study. I. 1962 field season. , U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta., Progress Report. 6 pp. and Appendix.

Davis, J. M., Maksymiuk, B., Isler, D. A., and Terrell, T. T.

1958. The effect of seven-hundred-fifty-foot spraying height on spruce budworm control using a B-18 airplane. 1957 Season. Beltsville Forest Ineect Lab. and Intermountain Forest and Range Expt. Sta. Spec. Rept. Bv 58-2.

_____, Isler, D. A., Maksymiuk, B., and Terrell, T. T.

1957. The effect of spraying height on spruce budworm control using a B-18 airplane. 1956 season. Beltsville Forest Insect Lab. and Intermountain Forest and Range Expt. Sta., Spec. Rept. Bv 57-1.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1(00-13 (8/59)

Davis, J. M., Waters, W. E., Isler, D. A., Martineau, R., and Marsh, J.W.
1956. Experimental airplane spraying for spruce budworm control. Jour. Econ. Ent. 49(3): 338-341.

DeLeon, Donald.
1939. Memorandum on the spruce budworm in ponderosa pine and Douglas-fir. U.S. Forest Service, Rocky Mountain Forest & Range Expt. Sta., Unpubl. Rept., 7 pp. [Typed.]

———.
1940. Notes on the biology of the spruce budworm. U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta. Unpubl. Rept., 3 pp. [Typed.]

Denton, R. E.
1951. Investigations of the spruce budworm and its control: some applications of the results of forced emergence from hibernaculae. Cd'A FIL. U.S. Forest Service, Intermountain Forest and Range Expt. Sta. Unpubl. Rept., 8 pp.

———
1960a. Experimental control of the spruce budworm by partial-unit spraying. U.S. Forest Service, Intermountain Forest and Range Expt. Sta. Unpubl. Rept., 10 pp.

———.
1960b. 1960 progress report of experimental tests of Bacillus thuringiensis Berliner against the spruce budworm. U.S. Forest Service, Intermountain Forest and Range Expt. Sta., 5 pp. [Processed.]

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (8/57)

Dodge, Harold R.

1961a. Parasitism of spruce budworm by Glypta and Apanteles at different crown heights in Montana. Can. Ent. 93(3): 222-228.

_____.

1961b. Studies on female sarcophagid flies: I. Sarcophaga aldrichi Parker, hinei Aldrich, houghi Aldrich, and Agria affinis (Fallen). Can. Ent. 93(9): 781-785.

Dowden, P. B., and Buchanan, W. D.

1945. Memorandum on the spruce budworm in Colorado in 1945 with particular reference to its entomophagous parasites. U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta. Unpubl. Rept., 3 pp.

_____, Buchanan, W. D., and Carolin, V. M.

1948. Natural control factors affecting the spruce budworm. Jour. Econ. Ent. 41:457-464.

_____, and Carolin, V. M.

1950. Natural control factors affecting the spruce budworm in the Adirondacks during 1946-1948. Jour. Econ. Ent. 43(6): 774-783.

_____, Jaynes, H. A., and Carolin, V. M.

1953. The role of birds in a spruce budworm outbreak in Maine. Jour. Econ. Ent. 46(2): 307-312.

Eaton, C. B., Beal, J. A., Furniss, R. L., and Speers, C. F.

1949. Airplane and helicopter spraying with DDT for spruce budworm control. Jour. For. 47(10): 823-827.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1100-13 (8/59)

Edwards, D. K.

1962. Laboratory determinations of the daily flight times of separate sexes of some moths in naturally changing light. Can. Jour. Zool. 40: 511-530.

Elliott, Ken R., Randall, A. P., and Smith, C. C.

1954. Insecticide tests against the spruce budworm. Northwest Miramichi River Region, New Brunswick, 1953. Can. Dept. Agr. Sci. Serv., For. Biol. Div., 10 pp. [Processed.]

Evenden, J. C.

1932. Experimental spraying for the control of the spruce budworm in the Cody Canyon, Shoshone National Forest, 1931. Cd'A FIL. U.S. Forest Service, Intermountain Forest and Range Expt. Sta. Unpubl. Rept., 63 pp.

_____.

1933. Experimental praying for the control of the spruce budworm in Cody Canyon, Shoshone National Forest, 1932. Cd'A FIL. U.S. Forest Service, Intermountain Forest and Range Expt. Sta. Unpubl. Rept., 14 pp.

Fettes, J. J.

1949. Spruce budworm population trends in a section of the Lake Nipigon infestation. Can. Dept. Agr., Div. Forest Biol. Bi-mon. Prog. Rept. 5(1):2.

_____.

1951. Investigations of sampling techniques for population studies of the spruce budworm on balsam fir in Ontario. Ph. D. Thesis, University of Toronto, 164 pp. plus appendices.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1960-13 (8/59)

Fettes, James J.
1956. Problems of forest aerial spray dispersal and assessment. Tenth Internatl. Cong. Ent. Proc. 4: 281-289.

Fettes, James J.
1960. Control of the spruce budworm by aircraft spraying and the hazard to aquatic fauna. Can. Dept. Agric., For. Biol. Div. Bi-mon. Prog. Rept. 16(1): 1-2.

_____, and Randall, A. P.
1962. Spruce budworm control and the reduction of hazards to aquatic fauna. In Ann. Rept. Can. Dept. For., For. Ent. and Path. Branch f. year ended Mar. 31, 1962. pp. 23-24.

Freeman, T. N.
1947a. External anatomy of the spruce budworm Choristoneura fumiferana (Clem.) (Lepidoptera:Tortricidae). Can. Ent. 79: 21-31.

_____.
1947b. A new generic assignment for Archips fumiferana (Clemens), the spruce budworm (Lepidoptera:Tortricidae). Can. Ent. 79(2): 22.

_____.
1953. The spruce budworm, Choristoneura fumiferana (Clem.), and an allied new species on pine (Lepidoptera:Tortricidae). Can. Ent. 85: 121-127.

_____.
1958. The Archipinae of North America (Lepidoptera:Tortricidae). Can. Ent. 90: Supplement 7.

Fye, R. E.
1962. Predation of Lepidopterous larvae by solitary wasps. Can. Dept. For., For. Ent. and Path. Br. Bi-mon. Prog. Rept. 18(2): 2-3.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Fye, R. E., Smereka, E. P., and Herdy, H.

1962. Ecology of the spruce budworm in Ontario. In Ann. Rept. Can. Dept. For., For. Ent. and Path. Branch f. year ended March 31, 1962. p. 84.

George, John L., and Mitchell, Robert T.

1948. Calculations on the extent of spruce budworm control by insectivorous birds. Jour. For. 46: 454-455.

_____, and Mitchell, Robert T.

1947. The effects of feeding DDT-treated insects to nestling birds. Jour. Econ. Ent. 40(6): 782-789.

Ghent, A. W.

1958a. Mortality of overstory trembling aspen in relation to outbreaks of the forest tent caterpillar and the spruce budworm. Ecology 39(2): 222-232.

_____.

1958b. Studies of regeneration in forest stands devastated by the spruce budworm. II. Age, height growth, and related studies of balsam fir seedlings. For. Sci. 4(2): 135-146.

_____, Fraser, D. A., and Thomas, J. B.

1957. Studies of regeneration in forest stands devastated by the spruce budworm. I. Evidence of trends in forest succession during the first decade following budworm devastation. For. Sci. 3: 184-208.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Graham, S. A.

1935. The spruce budworm on Michigan pine. Univ. Mich., Sch. For. Conserv. Bul. 6: 1-56.

_____.

1951. Developing forests resistant to insect injury. Sci. Monthly 73:235-244.

Greenbank, D. O.

1950. Spruce budworm moth flight on Green River Watershed. Can. Dept. Agr., Div. For. Biol. Bi-mon. Prog. Rept. 6(1): 1.

_____.

1951. Spruce budworm moth population studies. Can. Dept. Agr., For. Biol. Div. Bi-mon. Prog. Rept. 7(6): 1.

_____.

1956. The role of climate and dispersal in the initiation of outbreaks of the spruce budworm in New Brunswick. I. The role of climate. Can. Jour. Zool. 34: 453-476.

_____.

1957. The role of climate and dispersal in the initiation of outbreaks of the spruce budworm in New Brunswick. II. The role of dispersal. Can. Jour. Zool. 35: 385-403.

Harris, J. W. E.

1962. Population sampling of the two-year-cycle spruce budworm. In Ann. Rept. Can. Dept. For., For. Ent. and Path. Branch f. year ended Mar. 31, 1962, p. 130.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1100-13 (8/59)

Harris, J. W. E., and Edwards, D. K.

1960. Development of a sampling method for the two-year-cycle spruce budworm, Choristoneura fumiferana (Clem.) in British Columbia. I. The egg stage. Interim Report, For. Biol. Lab., Can. Dept. Agr., Res. Branch, For. Biol. Div., 38 pp. /Processed./

Harvey, George T.

1954. Absence of diapause in rearings of the spruce budworm. Can. Dept. Agr., For. Biol. Div. Bi-mon. Prog. Rept. 10(4): 1.

_____.

1957. The occurrence and nature of diapause-free development in the spruce budworm, Choristoneura fumiferana (Clem.), (Lepidoptera:Tortricidae). Can. Jour. Zool. 35: 549-572.

_____.

1958. A relationship between photoperiod and cold-storage treatment in the spruce budworm. Sci. 128(3333): 1205-1206.

_____.

1961. Second diapause in spruce budworm from eastern Canada. Can. Ent. 93(7): 594-602.

Heimburger, C. C.

1945. Comment on the budworm outbreak in Ontario and Quebec. For. Chron. 21(2): 114-126.

Heimpel, A. M.

1956. Further observations onthe pH in the gut and the blood of Canadian forest insects. Can. Jour. Zool. 34: 210-212.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Heller, Robert C., Bean, J. L., and Marsh, J. W.

1952. Aerial survey of spruce budworm in Maine in 1950. Jour. For. 50:8-11.

_____, and Schmiege, Donald C.

1962. Aerial survey techniques for the spruce budworm in the Lake States. Jour. For. 60(8): 525-532.

Henson, W. R.

1948. Influence of meteorological factors on behavior of the spruce budworm. Can. Dept. Agr. Sci. Serv., Div. Ent. For. Insect Investigations. Bi-mon. Prog. Rept. 4(6): 2.

_____.

1951. Mass flights of the spruce budworm. Can. Ent. 83: 240.

Heron, R. J.

1962. Physiology and nutrition of forest insects. In Ann. Rept. Can. Dept. For., For. Ent. and Path. Branch f. year ended Mar. 31, 1962, p. 95.

Jaynes, H. A.

1954. Parasitization of spruce budworm larvae at different crown heights by Apanteles andGlypta. Jour. Econ. Ent. 47(2): 355-356.

~~_____, and Carolin, V. M.~~

~~1951. Spruce budworm. New England Section, Soc. Amer. For. Tree Pest Leaflet 37, 4 pp., illus.~~

_____, and Drooz, A. T.

1952. The importance of parasites in the spruce budworm infestations in New York and Maine. Jour. Econ. Ent. 45: 1057-1061.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
(8/59)

Jaynes, H. A., and Speers, C. F.

1949. Biological and ecological studies of the spruce budworm. Jour. Econ. Ent. 42: 221-225.

Jennings, D. T.

1962. Biological evaluation. Spruce budworm infestations, egg mass sampling. Carson and Santa Fe National Forests and adjacent private lands. U.S. Forest Service, Region 3, Div. Timber Management Unpub. Rept., 6 pp.

Kendeigh, S. C.

1947. Bird population studies in the coniferous forest biome during a spruce budworm outbreak. Ontario Dept. Lands and Forests, Div. Res., Biol. Bul. 1.

Krywienczyk, J., MacGregor, D. R., and Bergold, G. H.

1958. Serological relationship of viruses from some Lepidopterous insects. Virology 5: 476-480.

Kushner, D. J., and Harvey, George T.

1962. Antibacterial substances in leaves: Their possible role in insect resistance to disease. Jour. Insect Path. 4: 155-184.

Landgraf, A. E.

1959. Biological evaluation of spruce budworm outbreaks. Pike, Rio Grande, and San Juan N.F. Oct. 1959, U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta. Unpubl. Rept., 10 pp. [Mimeo.]

Lewis, F. B.

1960. Factors affecting assessment of parasitization by Apanteles

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1100-13 (8/59)

fumiferanae Vier. and Glypta fumiferanae (Vier.) on spruce budworm larvae. Can. Ent. 92(12): 881-891.

LeBarron, Russell K.

1944. Influence of controllable environmental conditions on regeneration of jack pine and black spruce. Jour. Agr. Res. 68(3): 97-119.

Liscombe, E. A. R., and Lejeune, R. R.

1949. Natural control of the spruce budworm. Can. Dept. Agr. Sci. Ser., Div. Ent. For. Ins. Invest. Bi-mon. Prog. Rept. 5(6): 2.

Loughton, B. G., and West, A. S.

1962. Serological assessment of spider predation on the spruce budworm, Choristoneura fumiferana (Clem.) (Lepidoptera: Tortricidae). Proc. Ent. Soc. Ontario 92: 176-180.

Macdonald, D. R.

1959. Biological assessment of aerial forest spraying against spruce budworm in New Brunswick. III. Effects on two overwintering parasites. Can. Ent. 91: 330-336.

MacKay, Margaret R.

1953. The larvae of Choristoneura fumiferana (Clem.) and C. pinus Free. (Lepidoptera: Tortricidae). Can. Ent. 85(4): 128-133. See Erratum Can. Ent. 86(2): 77.

Mathers, W. G.

1932. The spruce budworm in British Columbia. For. Chron. 8(3): 154-157.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (8/52)

Mathers, W. G.

1935. Some meteorological observations in relation to the spruce budworm. Proc. Ent. Soc. B. C. 31: 22.

Maw, M. G., and Coppel, H. C.

1953. Studies on Dipterous parasites of the spruce budworm, Choristoneura fumiferana (Clem.) (Lepidoptera:Tortricidae). II. Phryxe pecosensis (Tns.) (Diptera:Tachinidae). Can. Jour. Zool. 31: 392-403.

McGugan, Blair M.

1954. Needle-mining habits and larval instars of the spruce budworm. Can. Ent. 86(10): 439-454.

_____.

~~1954.~~ 1955. Certain host-parasite relationships involving the spruce budworm. Can. Ent. 87(4): 178-187.

_____, B. M., and Blais, J. R.

1959. Spruce budworm parasite studies in northwestern Ontario. Can. Ent. 91(12): 758-783.

McKnight, Melvin E.

1960. Survey improvement research in the central Rocky Mountains. 1960. U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta. Progress Report, 44 pp. /Typed./

McLeod, D. M.

1949. Fungi associated with the spruce budworm. Can. Dept. Agr. Sci. Serv., Div. Ent. For. Ins. Invest. Bi-mon. Prog. Rept. 5(1): 1.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1109-13 (8-57)

McLintock, T. F.

1948. Evaluation of tree risk in the spruce-fir region of the Northeast. Iowa St. Coll. Jour. Sci. 22(4): 415-419.

_____.

1949. Mapping vulnerability of spruce-fir stands in the northeast to spruce budworm attack. U.S. Forest Service, Northeastern Forest Expt. Sta. Paper 21, 20 pp.

_____.

1955. How damage to balsam fir develops after a spruce budworm epidemic. U.S. Forest Service, Northeastern Forest Expt. Sta. Paper 75, 18 pp.

_____, and Westveld, M.

1946. Some financial aspects of removal of overmature balsam fir as a budworm control measure. U.S. Forest Service, Northeast Forest Expt. Sta., For. Mgt. Paper 1.

Miller, C. A.

1950. A key to some Lepidopterous larvae associated with the spruce budworm. Can. Dept. Agr. Sci. Serv., Div. Ent. For. Ins. Invest. Bi-mon. Prog. Rept. 6(1): 1.

_____.

1953. Parasitism of spruce budworm eggs by Trichogramma minutum Riley. Can. Dept. Agr. Div. For. Biol. Bi-mon. Prog. Rept. 9(4): 1.

_____.

1955. A technique for assessing spruce budworm larval mortality caused by parasites. Can. Jour. Zool. 33: 5-17.

Miller, C. A.

1957. A technique for estimating the fecundity of natural populations of the spruce budworm. Can. Jour. Zool. 35: 1-13.

_____.

1958. The measurement of spruce budworm populations and mortality during the first and second larval instars. Can. Jour Zool. 36: 409-422.

_____.

1959. The interaction of the spruce budworm, Choristoneura fumiferana (Clem.), and the parasite Apanteles fumiferanae Vier. Can. Ent. 91 (8): 467-477.

_____.

1960. The interaction of the spruce budworm. Choristoneura fumiferana (Clem.), and the parasite Glypta fumiferanae (Vier.). Can. Ent. 92(11): 839-850.

_____.

1962. The population dynamics of the spruce budworm. In Ann. Rept. Can. Dept. For., For. Ent. and Path. Branch f. year ended Mar. 31, 1962, p. 39.

_____, and Macdonald, D. R.

1961. The Green River Project - spruce budworm studies. Can. Dept. For., For. Ent. and Path. Br. Bi-mon. Prog. Rept. 17(4): 1.

Mitchell, R. T.

1952. Consumption of spruce budworm by birds in a Maine spruce-fir forest. Jour. For. 50: 387-389.

Morris, R. F.

1948. Green River Project - summary of entomological investigations in 1947. Can. Dept. Agr. Sci. Serv., Div. Ent. For. Insect Invest. Bi-mon. Prog. Rept. 4(1): 1-2.

_____.

1949. Spruce budworm on Green River. Can. Dept. Agr., Div. For. Biol. Bi-mon. Prog. Rept. 5(4): 1.

_____.

1951a. The effects of flowering on the foliage production and growth of balsam fir. For. Chron. 27: 40-57.

_____.

1951b. The importance of insect control in a forest management program. Can. Ent. 83(7): 176-181.

_____.

1954. A sequential sampling technique for spruce budworm egg surveys. Can. Jour. Zool. 32: 302-313.

_____.

1955. The development of sampling techniques for forest insect defoliators, with particular reference to the spruce budworm. Can. Jour. Zool. 33: 225-294.

_____.

1957. The interpretation of mortality data in studies on population dynamics. Can. Ent. 89(2): 49-69.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1000-13 (8/59)

Morris, R. F.

1958. A review of the important insects affecting the spruce-fir forest in the Maritime Provinces. For. Chron. 34(2): 159-189.

_____, Cheshire, W. F., Miller, C. A., and Mott, D. G.

1958. The numerical response of avian and mammalian predators during a gradation of the spruce budworm. Ecology 39: 487-493.

_____, and Miller, C. A.

1954. The development of life tables for the spruce budworm. Can. Jour. Zool. 32: 283-301.

_____, Miller, C. A., Greenbank, D. O., and Mott, D. G.

1958. The population dynamics of the spruce budworm in eastern Canada. Proc. Xth Internat. Congr. Ent., Montreal, 4: 137-149.

Mott, D. G., Nairn, L. D., and Cook, J. A.

1957. Radial growth in forest trees and effects of insect defoliation. For. Sci. 3(3): 286-304.

_____, Angus, T. A., Heimpel, A. M., and Fisher, R. A.

1961. Aerial spraying of Thuricide against the spruce budworm in New Brunswick. Can. Dept. For., For. Ent. and Path. Br. Bi-mon. Prog. Rept. 17(3): 2.

Nagel, R. H.

1962. Dimethoate against the spruce budworm on Douglas-fir. U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta. Unpubl. Rept., 6 pp. [Typed.]

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Neilson, M. M.

1956. Disease in spruce budworm adults. Can. Dept. Agr. Sci. Serv., For. Biol. Div. Bi-mon. Prog. Rept. 12(6): 1-2.

Orr, L. W., and Wygant, N. D.

1945. Experiments in the use of DDT and other insecticides for control of the spruce budworm in Colorado in1944. USDA, ARS, Bur. Ent. & Plant Quar., E-669.

Pilon, J. G., and Blais, J. R.

1961. Weather and outbreaks of the spruce budworm in the province of Quebec from 1939 to 1956. Can. Ent. 93(2): 118-123.

Prebble, M. L.

1945. Spruce budworm. Can. Dept. Agr. Sci. Serv., Div. Ent. For. Ins. Invest. Bi-mon. Prog. Rept. 1(4): 2.

_____, and Morris, R. F.

1951. The spruce budworm problem. For. Chron. 27: 14-22.

Randall, A. P.

1962. A laboratory test of three systemic insecticides against the spruce budworm, Choristoneura fumiferana (Clem.). Can. Ent. 94(11): 1156-1161.

Redmond, D. R.

1959. Mortality of rootlets in balsam fir defoliated by the spruce budworm. For. Sci. 5: 64-69.

Reeks, W. A., and Barter, G. W.

1951. Growth reduction and mortality of spruce caused by the European spruce sawfly, Gilpinia hercyniae (Htg.) (Hymenoptera: Diprionidae). For. Chron. 27(2): 140-156.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1960-19 (8/59)

Rose, A. H., and Blais, J. R.

1954. A relation between April and May temperatures and spruce budworm larval emergence. Can. Ent. 86(4): 174-177.

Ross, D. A.

1952. Key to the puparia of the Dipterous parasites of Choristoneura fumiferana Clem. Can. Ent. 84(4): 108-112.

Schmiege, Donald C.

1958. Spruce budworm aerial survey research in Minnesota. Ent. Soc. Amer. Bul. 4(3): 90. (ABS).

_____.

1961. Mortality and top killing of spruce-fir caused by repeated budworm defoliation. U.S. Forest Service, Lake States For. Expt. Sta. Tech. Note 597, 1 pp.

Secrest, J. P., and Thornton, Dorothy G.

1959. A comparison of the toxicity of various insecticides to the spruce budworm. Jour. Econ. Ent. 52(2): 212-214.

Shepherd, R. F.

1953a. Environmental factors of spruce budworm outbreak and non-outbreak areas in the Rocky Mountains. Ann. Tech. Rept. for 1953. Lab. For. Zool., Can. Dept. Agr., Calgary, Alberta, 18 pp. /Processed./

_____.

1953b. Spruce budworm head-capsule measurements. Can. Dept. Agr., For. Biol. Div. Bi-mon. Prog. Rept. 9(6): 3.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1100-13 (6/59)

Shepherd, R. F.

1956. Effect of wind on spruce budworm. Can. Dept. Agr., Div. For. Biol. Bi-mon. Prog. Rept. 12(4): 4.

_____.

1958. Factors controlling the internal temperatures of spruce budworm larvae, Choristoneura fumiferana (Clem.). Can. Jour. Zool. 36: 779-786.

_____.

1959. Phytosociological and environmental characteristics of outbreak and non-outbreak areas of the two-year cycle spruce budworm, Choristoneura fumiferana. Ecology 40(4): 608-620.

_____.

1961. A comparison of the developmental rates of one- and two-year cycle spruce budworm. Can. Ent. 93(9): 764-771.

Silver, G. T.

1960. Notes on a spruce budworm infestation in British Columbia. For. Chron. 36(4): 362-374.

Smith, C. C.

1954. Insecticide tests against spruce budworm. Can. Dept. Agr. Sci. Serv., For. Biol. Div. Bi-mon. Prog. Rept. 10 (5): 1.

_____.

1955. Tests of residual effect of DDT on newly-batched spruce budworm larvae. Can. Dept. Agr. Sci. Serv., For. Biol. Div. Bi-mon. Prog. Rept. 11(2): 1.

Smith, Stanley G.

1943. Techniques for the study of insect chromosomes. Can. Ent. 75(2): 21-34.

_____.

1945. Heteropycnosis as a means of diagnosing sex. Jour. Hered. 36(7): 195-196.

_____.

1954. A partial breakdown of temporal and ecological isolation between Choristoneura species (Lepidoptera:Tortricidae). Evolution 8(3): 206-224.

Stairs, G. R.

1960. On the embryology of the spruce budworm, Choristoneura fumiferana (Clem.) (Lepidoptera:Tortricidae). Can. Ent. 92(2): 147-154.

_____, and Bird, F. T.

1960. Unusual parasitism of the spruce budworm. Can. Dept. Agr., For. Biol. Div. Bi-mon. Prog. Rept. 16(4): 1.

_____, and Bird, F. T.

1962. Dissemination of viruses against the spruce budworm Choristoneura fumiferana (Clem.). Can. Ent. 94(9): 966-969.

Stehr, G. W. K.

1953. A mutation of eye colour in Choristoneura fumiferana (Clem.). Can. Dept. Agr. Sci. Serv., For. Biol. Div. Bi-mon. Prog. Rept. 9(6): 2.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Stehr, G.

1954. A laboratory method for rearing the spruce budworm, Choristoneura fumiferana (Clem.), (Lepidoptera: Tortricidae). Can. Ent. 86(9): 423-428.

_____.

1955. Brown female - a sex-linked and sex-limited character. Jour. Hered. 46(6): 263-266.

_____.

1959. Hemylymph polymorphism in a moth and the nature of sex-controlled inheritance. Evolution 13: 537-560.

_____.

1962. Investigations of the genetic structure of forest insect populations. In Ann. Rept. Can. Dept. For., For. Ent. and Path. Branch f. year ended Mar. 31, 1962, p. 14.

Stillwell, M. A.

1956. Pathological aspects of severe spruce budworm attack. For. Sci. 2(3): 174-180.

_____.

1960. Rootlet recovery in balsam fir defoliated by the spruce budworm. Can. Dept. Agr. Res. Bran. For. Biol. Div. Bi-mon. Prog. Rept. 16(5): 1.

_____.

1962. Pathological deterioration of balsam fir. In Ann. Rept. Can. Dept. For., For. and Path. Branch f. year ended Mar. 31, 1962, p. 42.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Swaine, J. M.

1930. Airplane dusting operations for the control of defoliating insects. Rept. on Civil Aviation and Civil Government Air Operations for the year 1929. Dom. of Can., Dept. Natl. Defense, April, 1930.

_____, Craighead, F. C., and Bailey, I. W.

1924. Studies on the spruce budworm. Can. Dept. Agr. Tech. Bul. 37.

Terrell, Tom T.

1956 See Page 146

1959. Sampling populations of overwintering spruce budworm in the Northern Rocky Mountain Region. U.S. Forest Service, Intermountain Forest and Range Expt. Sta. Res. Note 61, 8 pp.

_____.

1960. Survival of spruce budworm larvae in unseasonal low temperatures in Montana, 1960. U.S. Forest Service, Intermountain Forest and Range Expt. Sta. Unpubl. Rept.

_____.

1961a. Estimating defoliation caused by spruce budworm from undamaged shoots. U.S. Forest Service, Intermountain Forest and Range Expt. Sta. Res. Note 86.

_____.

1961b. Techniques of spruce budworm surveys in the Northern Rocky Mountain Region, 1960. U.S. Forest Service, Intermountain Forest and Range Expt. Sta. Prog. Rept. 14 pp. [Processed.]

U.S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (8/59)

Thomas, J. B.

1958. Mortality of white spruce in the Lake Nipigon Region of Ontario. For. Chron. 34(4): 393-404.

Thomson, H. M.

1955. Perezia fumiferanae n sp., a new species of Microsporidia from the spruce budworm, Choristoneura fumiferana (Clem.). Jour. Parasitol. 41:416-423.

_____.

1957. A note on the predation of spruce budworm pupae. Can. Dept. Agr. Sci. Serv., For. Biol. Div. Bi-mon. Prog. Rept. 13(4): 2.

_____.

1958a. The effect of a microsporidian parasite on the development, reproduction, and mortality of the spruce budworm, Choristoneura fumiferana (Clem.). Can. Jour. Zool. 36: 499-511.

_____.

1958b. The effect of a microsporidian parasite of the spruce budworm, Choristoneura fumiferana (Clem.), on two internal Hymenopterous parasites. Can. Ent. 90(11): 694-696.

_____.

1958c. Some aspects of the epidemiology of a microsporidian parasite of the spruce budworm, Choristoneura fumiferana (Clem.). Can. Jour. Zool. 36: 309-316.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1309-13 (8/59)

Thomson, W. R.

1928. A contribution to the study of biological control and parasite introduction in continental areas. Parasitology 20: 90-112.

Tripp, H. A.

1950. Injury to white spruce cones by the spruce budworm. Can. Dept. Agr., For. Ins. Invest. Bi-mon. Prog. Rept. 6(5): 1.

Turner, K. B.

1952. The relation of mortality of balsam fir by the spruce budworm to forest composition in the Algoma forest of Ontario. Can. Dept. Agr. Publ. 875: 107 pp.

Wagg, J. W. Bruce.

1958. Environmental factors affecting spruce budworm growth. Forest Lands Res. Center, Corvallis, Oregon, Res. Bul. 11.

Warren, G. L.

1954. The spruce needleworm, Dioryctria reniculella Grt., as a predator of spruce budworm. Can. Dept. Agr. Sci. Serv., For. Biol. Div. Bi-mon. Prog. Rept. 10(3): 2-3.

Waters, William E.

1959. A quantitative measure of aggregation in insects. Jour. Econ. Ent. 52(6): 1180-1184.

_____, Heller, R. C., and Bean, J. L.

1958. Aerial appraisal of damage by the spruce budworm. Jour. For. 56: 269-276.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
13(4)-13 (8/59)

Webb, F. E.

1955a. Biological assessment of aerial forest spraying against the spruce budworm in New Brunswick. I. Timing of operations 1952-54. For. Chron. 31: 342-352.

_____.

1955b. Four years of aerial spraying against spruce budworm in New Brunswick. Pulp and Paper Mag. of Canada 56(13): 132-135.

_____.

1958a. Biological assessment of aerial forest spraying against the spruce budworm in New Brunswick. II. A review of the period 1952-1956. Proc. Xth Internat. Congr. Ent., Montreal, 303-316.

_____.

1958b. The relation between spruce budworm egg-mass numbers and defoliation the following year in sprayed and unsprayed areas. Can. Dept. Agr. Sci. Serv., For. Biol. Div. Bi-mon. Prog. Rept. 14(1): 1.

_____.

1959. Aerial chemical control of forest insects with reference to the Canadian situation. Canadian Fish Culturist 24: 3-16.

_____.

1960. Aerial forest spraying against spruce budworm - a problem of mutual interest in Canada and the United States. Jour. Econ. Ent. 53(4): 631-633.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1-60-13 (8/57)

Webb, F. E., Blais, J. R., and Nash, R. W.

1961. A cartographic history of spruce budworm outbreaks and aerial forest spraying in the Atlantic region of North America, 1949-1959. Can. Ent. 93(5): 360-379.

Webb, L. S.

1958. Budworm control from the operator's point of view. Pulp and Paper Mag. of Canada 59(c): 311-316.

Wellington, Eunice F.

1949a. Artificial media for rearing some phytophagous Lepidoptera. Nature 163: 574.

_____.

1949b. Artificial medium for larval rearing. Can. Dept. Agr. Sci. Serv., Div. Ent. For. Ins. Invest. Bi-mon. Prog. Rept. 5(1): 2.

Wellington, W. G.

1948. The light reactions of the spruce budworm, Choristoneura fumiferana Clemens (Lepidoptera:Tortricidae). Can. Ent. 80: 56-82A.

_____.

1949a. The effects of temperature and moisture upon the behavior of the spruce budworm. I. The relative importance of graded temperatures and rates of evaporation in producing aggregations of larvae. Sci. Agr. 29: 201-215.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (8/59)

Wellington, W. G.

1949b. The effects of temperature and moisture upon the behavior of the spruce budworm. II. The responses of larvae to gradients of evaporation. Sci. Agr. 29: 216-229.

_____.

1950a. Effects of radiation on the temperatures of insectan habitats. Sci. Agr. 30: 209-234.

_____.

1950b. Variation in silk-spinning and locomotor activities of larvae of the spruce budworm at different rates of evaporation. Trans. Roy. Soc. Can. 44: 89-101.

_____.

1952. Air mass climatology of Ontario north of Lake Huron and Lake Superior before outbreaks of the spruce budworm and the forest tent caterpillar. Can. Jour. Zool. 30: 114-127.

_____, Fettes, J. J., Turner, K. B., and Belyea, R. M.

1950. Physical and biological indicators of the development of outbreaks of the spruce budworm. Can. Jour. Res. D, 28: 308-331.

_____, and Henson, W. R.

1947. Notes on the effects of physical factors in the spruce budworm. Can. Ent. 79: 168-170. Continuation in Can. Ent. 79: 195.

_____, Sullivan, C. R., and Green, G. W.

1951. Polarized light and body temperature level as orientation factors in the light reactions of some Hymenopterous and Lepidopterous larvae. Can. Jour. Zool. 29: 339-351.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE

Westveld, M.

1946. Forest management as a means of controlling the spruce budworm. Jour. For. 44: 949-953.

_____.

1954. A budworm vigor-resistance classification for spruce and balsam fir. Jour. For. 52: 11-24.

Wilford, B. H.

1961. Biological evaluation. Spruce budworm infestations in Region 2. Forest Service Region 2, Div. Timber Management Unpub. Rept., 28 pp.

_____.

1962a. Biological evaluation. Spruce budworm infestations in Region 2. U.S. Forest Service Region 2, Div. Timber Management Unpub. Rept., 35 pp.

_____.

1962b. Spruce budworm control by aerial application of insecticides on the Rio Grande National Forest, 1962. U.S. Forest Service, Region 2, Div. Timber Management Unpub. Rept., 12 pp.

_____, and McKnight, M. E.

1960. Biological evaluation. Spruce budworm infestations in Colorado in 1960. U.S. Forest Service, Rocky Mountain Forest and Range Expt. Sta. Unpub. Rept., 24 pp. [Mimeo.]

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
1300-13 (6/52)

Wilkes, A., Coppel, H. C., and Mathers, W. G.

1948. Notes on the insect parasites of the spruce budworm, Choristoneura fumiferana (Clem.) in British Columbia. Can. Ent. 80: 138-155.

Wilson, Louis F.

1959. Branch "tip" sampling for determining abundance of spruce budworm egg masses. Jour. Econ. Ent. 52(4): 618-621.

Terrell, Tom T.

1956. A guide for the aerial observation of insecticide spraying for spruce budworm control. U.S. Forest Service, Intermountain Forest and Range Expt. Sta. Unpub. Rept., 3 pp.

U. S. DEPARTMENT OF AGRICULTURE
FOREST SERVICE
(8/59)